

the display control device, to each of the driving circuits via a bus line and a clock line in the circuit board,

each of the bus line and the clock signal line of the circuit board being formed in a continuous area of the circuit board and being divided into plural lines,

and said divided plural lines are connected to the display control device individually.

Please add new claims 11 to 17 as follows:

11. A liquid crystal display device, comprising:

liquid crystal display element;

plural driving circuits;

a display control device which transmits display data and a clock signal to the plural driving circuits; and

a circuit board which is provided between the display control device and the plural driving circuits and supplies the display data and the clock signal transmitted from the display control device, to each of the driving circuits via a bus line and a clock line in the circuit board,

at least one of the bus line and the clock signal line of the circuit board being formed in a continuous area of the circuit board and being divided into plural lines,

the display control device supplies the display data or the clock signal to at least one of the divided bus lines or clock signal lines,

the display control device supplies a signal of fixed voltage level to the at least one of the divided bus lines or clock signal lines to which the display data or the clock signal is not supplied.

12. A liquid crystal display device, comprising:

a liquid crystal display element;

plural driving circuits;

a display control device which transmits display data and a clock signal to the plural driving circuits; and

a circuit board which is provided between the display control device, and the plural driving circuits and supplies the display data and the clock signal transmitted from the display control device, to each of the driving circuits via a bus line and a clock line in the circuit board,

each of the bus line and the clock signal line of the circuit board being formed in a continuous area of the circuit board and being divided into plural lines,

the display control device supplies the display data and the clock signal to each of the divided bus lines and clock signal lines in sequence in accordance with transmission timing,

the display control device supplies a signal of fixed voltage level to each of the divided bus lines and clock signal lines to which the display data and the clock signal are not supplied.

13. A liquid crystal display device, comprising:

a liquid crystal display element;

plural driving circuits:

a display control device which transmits display data and a clock signal to the plural driving circuits; and

a circuit board which is provided between the display control device and the plural driving circuits and supplies the display data and the clock signal transmitted from the display control device to each of the driving circuits via a bus line and a clock line in the circuit board,

at least the bus line of the circuit board is divided into two lines,

the display control device sequentially supplies the display data to one of the bus lines and to the other of the bus lines in sequence in accordance with transmission timing,

while the display control device is supplying the display data to one of the bus lines, the display control device supplies signals of fixed voltage level to the other of the bus lines.

14. A liquid crystal display device, comprising:

a liquid crystal display element;

plural driving circuits;

a display control device which transmits display data and a clock signal to the plural driving circuits; and

a circuit board which is provided between the display control device and the plural driving circuits and supplies the display data and the clock signal transmitted from the display control device, to each of the driving circuits via a bus line and a clock line in the circuit board.

at least the bus line of the circuit board is divided into two lines,

the display control device sequentially supplies the display data to one of the bus lines and to the other of the bus lines in sequence in accordance with transmission timing,

while the display control device is supplying the clock signal to one of the clock signal lines, the display control device supplies signals of fixed voltage level to the other of the clock signal lines.

15. A liquid crystal display device, comprising:

liquid crystal display element;

plural driving circuits;

a display control device which transmits display data and a clock signal to the plural driving circuits; and

a circuit board which is provided between the display control device and the plural driving circuits and supplies the display data and the clock signal transmitted from the display control device, to each of the driving circuits via a bus line and a clock line in the circuit board,

each of the bus line and the clock signal line of the circuit board is divided into two lines,

the display control device sequentially supplies the display data and the clock signal to one of the bus lines and one of the clock signal lines and to the other of the bus lines and the other of the clock signal lines in sequence in accordance with transmission timing,

while the display control device is supplying the display data and the clock signal to one of the bus lines and one of the clock signal lines, the display control device

supplies signals of fixed voltage level to the other of the bus lines and the other of the clock signal lines.

16. A liquid crystal display device, comprising:

a liquid crystal display element;

plural driving circuits;

a display control device which transmits display data and a clock signal to the plural driving circuits; and

a circuit board which is provided between the display control device and the plural driving circuits and supplies the display data and the clock signal transmitted from the display control device, to each of the driving circuits via a bus line and a clock line in the circuit board,

and a connector for inputting the display data and the clock signal from the display control device being provided in a portion other than a lengthwise end portion of the circuit board.

17. A liquid crystal display device according to claim 16, wherein the connector is provided in a lengthwise central portion of the circuit board.

as  
cancel.